

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 1 / 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

perma MULTI LC SYN 220-1 (SF120)
perma MULTI LC SYN 220-2 (SF130)

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company H-T-L perma USA, LP
10333 Westlake Dr
Charlotte, NC 28273 / USA
Phone +1(704) 377-3100
Fax +1(704) 377-3106
Homepage www.permausa.com
E-mail info@permausa.com

Address enquiries to

Technical information info@permausa.com

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)
Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Company (800) 997-3762 [8:00 AM – 5:00 PM Eastern Standard Time (EST)]

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product does not require a hazard in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)

Hazard pictograms None

Signal word None

Hazard statements None

Precautionary statements None

Special labelling EUH210 Safety data sheet available on request.

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Other hazards No particular hazards known.

This product is classified as non-hazardous in accordance to OSHA Standard 29 CFR 1910.1200.

SECTION 3: Composition / Information on ingredients

3.1 Substances

Not applicable

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 2 / 12

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
40 - 60	Destilados (petróleo), nafténicos pesados tratados com hidrogénio
	CAS: 64742-52-5

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.
Consult a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Dizziness
Nausea, vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon dioxide (CO₂)
Carbon monoxide (CO)
Sulphur oxides (SO_x).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective equipment.
Keep away from all sources of ignition.
Some risk of slipping due to spillage of product.

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 3 / 12

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Keep away from open flames, hot surfaces and sources of ignition.

Do not eat, drink or smoke when using this product.

Remove soiled or soaked clothing.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

Cloths contaminated with product should not be kept in trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance
Destilados (petróleo), nafténicos pesados tratados com hidrogénio
CAS: 64742-52-5
Long-term exposure: 5 mg/m ³ , -TWA (mist); 10 mg/m ³ STEL (mist) (ACGIH TLV)

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 4 / 12

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General limit for oil mist should be noted.
Eye protection	safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,5 mm: Nitrile rubber, >240 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Form	pasty
Color	various
Odor	like mineral oil
Odor threshold	No information available.
pH-value	No information available.
pH-value [1%]	No information available.
Boiling point or initial boiling point and boiling range [°C]	240 (464°F)
Flash point [°C]	Not applicable
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidizing properties	No
Vapor pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,89 (20 °C / 68,0 °F)
Relative density	Not determined
Bulk density [kg/m³]	No information available.
Solubility in water	insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Melting point [°C]	
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

No information available.

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 5 / 12

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agent.

10.6 Hazardous decomposition products

In the case of heating following (decomposition) products may occur:

Carbon dioxide (CO₂).

Carbon monoxide (CO).

Sulphurous oxides (SO_x).

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 6 / 12

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product
Based on the information available, the classification criteria have not been fulfilled.
Substance
Destilados (petróleo), nafténicos pesados tratados com hidrogénio, CAS: 64742-52-5
LD50, oral, Rat, > 5000 mg/kg OECD 401

Acute dermal toxicity

Product
Based on the information available, the classification criteria have not been fulfilled.
Substance
Destilados (petróleo), nafténicos pesados tratados com hidrogénio, CAS: 64742-52-5
LD50, dermal, Rabbit, > 5000 mg/kg OECD 402

Acute inhalational toxicity

Product
Based on the information available, the classification criteria have not been fulfilled.
Substance
Destilados (petróleo), nafténicos pesados tratados com hidrogénio, CAS: 64742-52-5
LC50, inhalativ (mist), Rat, > 5,53 mg/l 4h OECD 403

Serious eye damage/irritation	Based on the information available, the classification criteria have not been fulfilled.
Skin corrosion/irritation	Based on the information available, the classification criteria have not been fulfilled.
Respiratory or skin sensitisation	May produce an allergic reaction. Calculation method
Specific target organ toxicity — single exposure	Based on the information available, the classification criteria have not been fulfilled.
Specific target organ toxicity — repeated exposure	Based on the information available, the classification criteria have not been fulfilled.
Mutagenicity	Based on the information available, the classification criteria have not been fulfilled.
Reproduction toxicity	Based on the information available, the classification criteria have not been fulfilled.
Carcinogenicity	Based on the information available, the classification criteria have not been fulfilled.
Aspiration hazard	Based on the information available, the classification criteria have not been fulfilled.
General remarks	Frequent persistent contact with the skin can cause skin irritation. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 7 / 12

SECTION 12: Ecological information

12.1 Toxicity

Product

Based on the information available, the classification criteria have not been fulfilled.

Substance

Destilados (petróleo), nafténicos pesados tratados com hidrogénio, CAS: 64742-52-5

EL50, (48h), Daphnia magna, > 10 000 mg/L

EL50, (72h), Pseudokirchneriella subcapitata, > 100 mg/L

NOEC, (21d), Daphnia magna, 10 mg/L

NOELR, (72h), Pseudokirchneriella subcapitata, 100 mg/L

LL50, (96h), Pimephales promelas, > 100 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments No information available.

Behaviour in sewage plant No information available.

Biological degradability No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

The product is insoluble in water.

Ecological data of complete product are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Coordinate disposal with the authorities if necessary.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

RCRA Hazard Class (40CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 8 / 12

SECTION 14: Transport

14.1 UN number

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

DOT Road Shipment Information (49 CFR) NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 9 / 12

14.4 Packing group

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID No

Inland navigation (ADN) No

Marine transport in accordance with IMDG No

Air transport in accordance with IATA No

DOT Road Shipment Information (49 CFR) No

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 10 / 12

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations

National regulations

29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65

- SARA, 302

This product does not contain any ingredients regulated under this list.

- SARA, 311

This product does not contain any ingredients regulated under this list.

- SARA, 313

This product does not contain any ingredients regulated under this list.

- CA Proposition 65

No chemical substances in this material are named on the California P65 list.

- TSCA

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

- FDA

No information available.

American Conference of Governmental Industrial Hygienists - ACGIH

Ingredients not listed as carcinogens.

International Agency for Research on Cancer IARC

Ingredients not listed as carcinogens.

National Toxicology Program - NTP

This product is not named NTP - National Toxicology Program.

HAP-VOC

Not applicable

Transport-regulations

DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1

Page 11 / 12

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;
CAS = Chemical Abstracts Service;
CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;
CFR = Code of Federal Regulations;
CPR = Controlled Products Regulations;
DMEL = Derived Minimum Effect Level;
DNEL = Derived No Effect Level;
DOT = Department of Transportation;
EC50 = Median effective concentration;
EPA = Environmental Protection Agency;
GHS = Globally Harmonized System of Classification and Labelling of Chemicals;
IATA = International Air Transport Association;
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
IC50 = Inhibition concentration, 50%;
IMDG = International Maritime Code for Dangerous Goods;
IARC = International Agency of Research on Cancer;
IATA = International Air Transport Association;
TSCA = Toxic Substance Control Act;
HMIS = Hazardous Materials Identification System;
NFPA = National Fire Protection Association;
NIOSH = National Institute for Occupational Safety and Health;
OSHA = Occupational Safety and Health Administration;
LC50 = Lethal concentration, 50%;
LD50 = Median lethal dose, 50%;
MARPOL = International Convention for the Prevention of Marine Pollution from Ships;
PBT = Persistent, Bioaccumulative and Toxic substance;
PNEC = Predicted No-Effect Concentration;
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;
SARA = Superfund Amendments and Reauthorization Act;
TLV@TWA = Threshold limit value – time-weighted average;
TLV@STEL = Threshold limit value – short-time exposure limit;
VOC = Volatile Organic Compounds;
vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings

H-T-L perma USA, LP
Charlotte, NC 28273

Date printed 08.02.2024, Revision 13.02.2023

Version 1.1 Page 12 / 12

NFPA Ratings



TOP, FLAMMABILITY: 1 - Slight Hazard
LEFT, HEALTH: 1 - Slight Hazard
RIGHT, REACTIVITY: 0 - Minimal Hazard
BOTTOM, SPECIAL NOTICE: 20.NFPA.X0

HMIS Ratings

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

1 - Slight Hazard
1 - Slight Hazard
0 - Minimal Hazard
X - Personal protection rating to be supplied by user depending on use conditions

PERSONAL PROTECTION:

- A - Safety Glasses
- B - Safety Glasses and Gloves
- C - Safety Glasses, Gloves and Protection Apron
- D - Face Shield, Gloves and Protection Apron
- E - Safety Glasses, Gloves and Dust Respirator
- F - Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G - Safety Glasses, Gloves and Vapor Respirator.
- H - Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I - Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J - Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K - Airline Mask or Hood, Gloves, Full Suit and Boots.
- X - Personal protection rating to be supplied by user depending on use conditions

Modified position

1.2, 1.3, 3.2, 8.1, 9.1, 11.1, 11.2, 12.6, 12.7, 15.1, 16.2, 16.3

Copyright: Chemiebüro®